

**Ludwig Institute for Cancer Research
Brussels Branch**

Cytokines in immunity and inflammation group
J. VAN SNICK AND J-C. RENAUD

a. Publications list

Van Snick J., Masson P. and Heremans J. The involvement of bicarbonate in the binding of iron by transferrin. *Biochim. Biophys. Acta* 322 : 231-233, 1973.

Van Snick J., Masson P. and Heremans J. The involvement of lactoferrin in the hyposideremia of acute inflammation. *J. Exp. Med.* 140 : 1068-1084, 1974.

Van Snick J. and Masson P. The binding of human lactoferrin to mouse peritoneal cells. *J. Exp. Med.* 144 : 1568-1580, 1976.

Van Snick J., Markowetz B. and Masson P. The ingestion and digestion of human lactoferrin by mouse peritoneal macrophages and the transfer of its iron into ferritin. *J. Exp. Med.* 146 : 817-827, 1977.

Bluard-Deconinck J-M., Williams J., Evans R., Van Snick J., Osinski P. and Masson P. Iron-binding fragments from the N-terminal and C-terminal regions of human lactoferrin. *Biochem. J.* 171 : 321-327, 1978.

Van Snick J., Van Roost E., Markowetz B., Cambiaso C. and Masson P. Enhancement by IgM rheumatoid factor of in vitro ingestion by macrophages and in vivo clearance of aggregated IgG or antigen-antibody complexes. *Eur. J. Immunol.* 8 : 279-285, 1978.

Van Snick J. and Masson P. The effect of complement on the ingestion of soluble antigen-antibody complexes and IgM aggregates by mouse peritoneal macrophages. *J. Exp. Med.* 148 : 903-914, 1978.

Markowetz B., Van Snick J. and Masson P. Binding and ingestion of human lactoferrin by mouse alveolar macrophages. *Thorax* 34 : 209-212, 1979.

Van Snick J. and Masson P. Age-dependent production of IgA and IgM autoantibodies against IgG2a in a colony of 129/Sv mice. *J. Exp. Med.*, 149 : 1519-1530, 1979.

Boon T., Van Snick J., Van Pel A., Uyttenhove C., Marchand M. Immunogenic variants obtained by mutagenesis of mouse mastocytoma P815 : T lymphocyte mediated cytosis. *J. Exp. Med.* 152 : 1184 - 1193, 1980.

Uyttenhove C., Van Snick J. Boon T. Immunogenic variants obtained by mutagenesis of mouse mastocytoma P815 : rejection by syngeneic mice. *J. Exp. Med.* 152 : 1175 - 1183, 1980.

Van Snick J. and Masson P. Incidence and specificities of IgA and IgM anti-IgG autoantibodies in various mouse strains and colonies. *J. Exp. Med.* 151 : 45-55, 1980.

Van Snick J. The production of anti-Ig2a autoantibody in the 129/Sv mouse : onset in the lymph nodes draining the intestinal tract and prevention by neonatal thymectomy. *J. Immunol.* 126 : 815-818, 1981.

Van Snick J., Uyttenhove C., Van Pel A., Boon T. Stimulation of cytolytic T lymphocytes by azaguanine-resistant mouse tumor cells in selective HAT medium. *J. Immunol. Methods*, 46 : 321 - 326, 1981.

Maryanski J., Van Snick J., Cerottini J.C., Boon T. Immunogenic variants obtained by mutagenesis of mouse mastocytoma P815. III. Clonal analysis of the syngeneic cytolytic T lymphocyte response. *Eur. J. Immunol.* 12 : 401 - 406, 1982.

Moussebois C., Van Snick J. and Masson P. A new method for the coupling of 4-hydroxy 3-iodo 5-nitrophenacetyl (NIP) and of 4-hydroxy 5-nitrophenacetyl (NP) to carrier proteins. *J. Immunol. Methods*, 1982.

Van Snick J., Coulie P. Monoclonal anti-IgG autoantibodies derived from lipopolysaccharide-activated spleen cells of 129/Sv mice. *J. Exp. Med.* 155 : 219-230, 1982.

Van Snick J., Maryanski J., Van Pel A., Parmiani G., Boon T. Immunogenic variants obtained by mutagenesis of mouse mastocytoma P815. V. H-2 associativity of variant-specific antigens. *Eur. J. Immunol.* 12 : 905 - 908, 1982.

Coulie P. and Van Snick J. Rheumatoid factors and secondary immune responses in the mouse. II. Incidence, kinetics and induction mechanisms. *Eur. J. Immunol.* 13 : 895-899, 1983.

Stassin V., Coulie P. Birshtein B., Secher D. and Van Snick J. Determinants recognized by murine rheumatoid factors. Molecular localization using a panel of mouse myeloma variant immunoglobulins. *J. Exp. Med.* 158 : 1763-1768, 1983.

Van Snick J. and Coulie P. Rheumatoid factors and secondary immune responses in the mouse. I. Frequent occurrence of hybridomas secreting IgM anti-IgG1 autoantibodies after immunization with protein antigens. *Eur. J. Immunol.* 13 : 890-894, 1983.

Van Snick J., Coulie P. and Stevens M. Genetic control of rheumatoid factor production in the mouse. *Arthritis Rheum* 26 : 1085 - 1090, 1983.

Van Snick J., Stassin V. and de Lestré B. Isotypic and allotypic specificity of mouse rheumatoid factors. *J. Exp. Med.* 157 : 1006-1019, 1983.

Van Snick J. and Uyttenhove C. Immunité antitumorale et antigènes tumoraux. *Louvain Med.* 102 : 13-23, 1983.

Lambotte P., Van Snick J. and Boon T. Partial purification of a membrane glycoprotein antigen by high-pressure size-exclusion chromatography without loss of antigenicity. *J. Chromatogr.* 297 : 139-145, 1984.

Van Snick J., Coutelier J-P., Van Roost E. and Guénet J-L. Rheumatoid factors in 129xB recombinant inbred strains. IgH-1 linked control of allotypic and isotypic specificities. *J. Exp. Med.* 159 : 355-364, 1984.

Coutelier J-P. and Van Snick J. Binding of in vivo formed immune complexes by monoclonal mouse rheumatoid factors. *Immunology*, 54 : 401-403, 1985.

Coulie P.G. and Van Snick, J. Rheumatoid factor (RF) production during anamnestic immune responses in the mouse. III. Activation of RF-precursor cells is induced by their interaction with immune complexes and carrier-specific helper T lymphocytes. *J. Exp. Med.* 161:88-97, 1985.

Coutelier J-P. and Van Snick J. Isotypically- restricted activation of B lymphocytes by lactic dehydrogenase virus. *Eur.J.Immunol.* 15:250-255, 1985.

Maryanski J.L., De Plaen E. and Van Snick J. A simple panning method for the selection of cell surface antigen transfectants. *J. Immunol. Methods*, 79 : 159-165, 1985.

Coulie P.G., Coutelier J-P., Uyttenhove C., Lambotte P. and Van Snick, J. In vivo suppression of T-dependent antibody responses by treatment with a monoclonal anti-L3T4 antibody. *Eur. J. Immunol.* 15 : 638-640, 1985.

Coulie P.G. and Van Snick J. Enhancement of IgG anti-carrier responses by IgG2 anti-hapten antibodies. *Eur.J.Immunol.* 15:793-798, 1985.

Van Snick J., De Plaen E. and Boon T. A neomycin resistant cell line for improved production of monoclonal antibodies to cell surface antigens. *Eur.J.Immunol.* 15:1148-1151, 1985.

De Meyts P., Hallez S., Gu J-L., Merchez M., Economidis I., Rousseau G.G., Van Snick J., Spinel C., Squifflet P., Ravoet A-M., de Bruyère M., Willard K., Vessière F., Lemoine C., Boon T., Toyoda H., Chen F. and Shively J. Aberrant expression of HLA-DR determinants on human thyroid cells treated with phytohemagglutinin and gamma-interferon and on human melanoma cells. *Annals New York Academy of Sciences* 475:359-360, 1986.

Shlomchik M.J., Nemazee D.A., Sato V.L., Van Snick J., Carson D.A. and Weigert M.G. Variable region sequences of murine IgM anti-IgG1 monoclonal autoantibodies (rheumatoid factor) : a structural explanation for the high frequency of IgM anti-IgG B cells. *J. Exp. Med.* 164:407-427, 1986.

Coutelier J-P., Van der Logt J.T.M., Heessen F.W.A., Warnier G. and Van Snick J. Rheumatoid factor production in 129/Sv mice : involvement of an intestinal infectious agent. *J. Immunol.* 137:337-340, 1986.

Coutelier J-P., Van Roost E., Lambotte P. and Van Snick J. The murine antibody response to lactate dehydrogenase-elevating virus. *J. Gen. Virol.* 67:1099-1108, 1986.

Delacroix D.L., Van Snick J. and Vaerman J-P. Monoclonal antibodies against isotypic and isoallotypic determinants of human IgA1 and IgA2 : fine specificities and binding properties. *Molecular Immunology* 23:367-375, 1986.

Heinen E., Braun M., Coulie P.G., Van Snick J., Moeremans M., Cormann N., Kinet-Denoël C. and Simar L.J. Transfer of immune complexes from lymphocytes to follicular dendritic cells. *Eur. J. Immunol.* 16:167-172, 1986.

Van Schaftingen E., Coulie P.G., Van Snick J. and Hers H-G. Reaction of phosphofructokinase 2/fructose 2,6-biphosphate with monoclonal antibodies. A proof of the bifunctionality of the enzyme. *Eur. J. Biochem.* 159 : 367-373, 1986

Van Snick J., Cayphas S., Vink A., Uyttenhove C., Coulie P., and Simpson R. Purification and NH2-terminal amino acid sequence of a new T-cell derived lymphokine with growth factor activity for B-cell hybridomas. *Proc. Natl. Acad. Sci. USA* 83:9679-9683, 1986.

Cayphas S., Van Damme J., Vink A., Simpson R.J., Billiau A. and Van Snick J. Identification of an interleukin-HP1-like plasmacytoma growth factor produced by L cells in response to viral infection. *J. Immunol.*, 139 : 2965-2969, 1987.

Coulie P., Cayphas S., Vink A., Uyttenhove C. and Van Snick J. Interleukin-HP1-related hybridoma and plasmacytoma growth factors induced by lipopolysaccharide in vivo. *Eur. J. Immunol.* 17 : 1217-1220, 1987.

Coutelier J-P., Van der Logt J., Heessen F., Warnier G. and Van Snick J. IgG2a restriction of murine antibodies elicited by viral infections. *J. Exp. Med.* 165:64-69, 1987.

Poupart P., Vandenebeele P., Van Snick J., Haegeman G., Kruys V., Fiers W. and Content J. B cell growth modulating and differentiating activity of recombinant human 26-KD protein (BSF-2, HuIFN- β_2 , HPGF). *The EMBO J.* 6 : 1219-1224, 1987.

Schlomchik M., Nemazee D., Van Snick J. and Weigert M. Variable region sequences of murine IgM anti-IgG monoclonal autoantibodies (rheumatoid factors). II. Comparison of hybridomas derived by Lipopolysaccharide stimulation and secondary protein immunization. *J. Exp. Med.*, 165 : 970-987, 1987.

Van Damme J., Cayphas S., Opdenakker G., Billiau A. and Van Snick J. Interleukin-1 and poly(rI)-poly(rC) induce production of a hybridoma growth factor by human fibroblasts. *Eur. J. Immunol.* 17 : 1-7, 1987.

Van Damme J., Cayphas S., Van Snick J., Conings R., Put W., Lenaerts J.-P., Simpson R.J., and Billiau A. Purification and characterization of human fibroblast-derived hybridoma growth factor identical to T-cell-derived B-cell stimulatory factor-2 (interleukin-6). *European Journal of Biochemistry* 168 : 543-550, 1987.

Van Damme J., De Ley M., Van Snick J., Dinarello C.A., and Billiau A. The role of interferon- β_1 and the 26-kDa protein (interferon- β_2) as mediators of the antiviral effect of interleukin 1 and tumor necrosis factor. *Journal of Immunology*, 139 : 1867-1872, 1987.

Van Damme J., Opdenakker G., Simpson R., Rubira M., Cayphas S., Vink A., Billiau A. and Van Snick J. Identification of the human 26K protein (IFN- β_2) as a hybridoma/plasmacytoma growth factor induced by interleukin-1 and tumor necrosis factor. *J.Exp.Med.* 165 : 914-919, 1987.

Van Snick J., Vink A., Cayphas S. and Uyttenhove C. Interleukin-HP1, a T cell-derived hybridoma growth factor that supports the in vitro growth of murine plasmacytomas. *J.Exp.Med.* 165 : 641-649, 1987.

Van Snick J., Cayphas S., Szikora J-P., Renaud J-C., Van Roost E., Boon T. and Simpson R.J. cDNA cloning of murine interleukin-HP1 : Homology with human interleukin 6. *Eur. J. Immunol.* 18 : 193-198, 1988.

Houssiau F.A., Bukasa K., Sindic C.J.M., Van Damme J. and Van Snick J. Elevated levels of the 26 K human hybridoma growth factor (Interleukin-6) in cerebrospinal fluid of patients with acute infection of the central nervous system. *Clin. Exp. Immunol.* 71 : 320-323, 1988.

Uyttenhove C., Coulie P. and Van Snick J. T cell growth and differentiation activity of interleukin-HP1, the murine T cell-derived hybridoma/ plasmacytoma growth factor. *J. Exp. Med.* 167 : 1417-1427, 1988.

Van Damme J., Van Beeumen J., Decock B., Van Snick J., De Ley M. and Billiau A. Separation and comparison of two monokines with LAF activity : Interleukin-1 β and hybridoma growth factor (HGF) : identification of leukocyte-derived HGF as interleukin-6. *J. of Immunology*, 140 : 1534-1541, 1988.

Van Damme J. and Van Snick J. Induction of hybridoma growth factor (HGF), identical to IL-6, in human fibroblasts by IL-1 : use of HGF activity in specific and sensitive biological assays for IL-1 and IL-6. *Developments in Biological Standards* 69 : 31-38, 1988.

Vink A., Coulie P.G., Wauters P., Nordan R.P. and Van Sick J. B cell growth differentiation activity of interleukin-HP1 and related murine plasmacytoma growth factors. Synergy with interleukin 1. *Eur. J. Immunol.* 18 : 607-612, 1988.

Houssiau F., Coulie P., Olive D. and Van Snick J. Synergistic activation of human T cells by interleukin 1 and interleukin 6. *Eur. J. Immunol.* 18 : 653-656, 1988.

Houssiau F., Devogelaer J-P., Van Damme J., Nagant de Deuxchaisnes C. and Van Snick J. Interleukin-6 in synovial fluid and serum of patients with rheumatoid arthritis and other inflammatory arthrides. *Arthritis and Rheumatism* 31 : 784-788, 1988.

Coutelier J-P. and Van Snick J. Neutralization and sensitization of lactate dehydrogenase-elevating virus with monoclonal antibodies. *J. Gen. Virol.* 69 : 2097-2100, 1988.

Uyttenhove C., Simpson, R.J. and Van Snick, J. Functional and structural characterization of P40, a mouse glycoprotein with T cell growth factor activity. *Proc.Natl.Acad.Sci.USA* 85 : 6934-6938, 1988.

Simpson R., Moritz R., Rubira M. and Van Snick J. Murine hybridoma/plasmacytoma growth factor : complete amino acid sequence and relation to human interleukin-6. *Eur. J. Biochem.*, 176 : 187-197, 1988.

Vink A., Vandenabeele P., Uyttenhove C., Cayphas S. and Van Snick J. Plasmacytoma growth factor activity of murine granulocyte-macrophage colony- stimulating factor. *J. Immunol.* 141 : 1996-1999, 1988.

Coutelier J-P., van der Logt J., Heesen F., Vink A. and Van Snick J. Virally-induced modulation of murine IgG antibody subclasses. *J. Exp. Med.* 168 : 2373-2378, 1988.

Van Snick J., Vink A., Uyttenhove C., Houssiau F. and Coulie P. B and T cell responses induced by interleukin-6. *Current Tropics in Microbiology and Immunology* 141 : 181-184, 1988.

Simpson R.J., Moritz R.L., Van Roost E. and Van Snick J. Characterization of a recombinant murine interleukin-6 : assignment of disulfide bonds. *Biochem. Biophys. Res. Commun.* 157 : 364, 1988.

Spertini F., Coulie P.G., Van Snick J., Davidson E., Lambert P-H. and Izui S. Inhibition of cryo- precipitation of murine anti-DNP IgG3 monoclonal antibodies by anionic DNP-amino acid conjugates. *Eur. J. Immunol.*, 19 : 273-278, 1989.

Renauld J-C., Vink A. and Van Snick J. Accessory signals in murine cytolytic T cell responses : dual requirement for IL1 and IL6. *Journal of Immunology*, 143 : 1894-1898, 1989.

Houssiau F., Coulie P. and Van Snick J. Distinct roles of interleukin 1 and interleukin 6 in human T cell activation. *J. Immunol.*, 143 : 2520-2524, 1989.

Coulie P., Stevens M. and Van Snick J. High and low affinity receptors for murine interleukin 6. Distinct distribution on B and T cells. *Eur.J.Immunol.*, 19 : 2107-2114, 1989.

Hültner L., Szöts H., Welle M., Van Snick J., Moeller J. and Dörmer P. Mouse bone marrow-derived IL-3-dependent mast cells and autonomous sublines produce IL-6. *Immunology*, 67 : 408-413, 1989.

Hültner L., Szöts H., Van Snick J., Moeller J., Welle M. and Dörmer P. Interleukin 3 mediates interleukin 6 production in murine interleukin 3-dependent hemopoietic cells. *Growth Factors*, 2 : 43-51, 1989.

Van Snick J., Goethals A., Renauld J-C., Van Roost E., Uyttenhove C., Rubira M.R., Moritz R.L. and Simpson R.J. Cloning and characterization of a cDNA for a new mouse T cell growth factor (P40). *J. Exp. Med.* 169 : 363-368, 1989.

Simpson R.J., Moritz R.L., Rubira M.R., Gorman J.J. and Van Snick J. Complete amino acid sequence of a new murine T-cell growth factor P40. *Eur. J. Biochem.* 183 : 715-722, 1989.

Schmitt E., Van Brandwijk R., Van Snick J., Siebold B. and Rüde E. TCGF III/P40 is produced by naive CD4+ T cells but is not a general T cell growth factor. *Eur. J. Immunol.* 19 : 2167-2170, 1989.

Hilbert D.M., Cancro M.P., Scherle P.A., Nordan R.P., Van Snick J., Gerhard W. and Rudikoff S. T cell derived IL-6 is differentially required for antigen-specific antibody secretion by primary and secondary B cells. *J. Immunol.* 143 : 4019-4019, 1989.

Vink A., Uyttenhove C., Wauters P. and Van Snick J. Accessory factors involved in murine T cell activation. Distinct roles of interleukin 6, interleukin 1 and tumor necrosis factor. *European Journal of Immunology* 20 : 1-6, 1990.

Renauld J-C., Goethals A., Houssiau F., Van Roost E., and Van Snick J. Cloning and expression of a cDNA for the human homolog of mouse T cell and mast cell growth factor P40. *Cytokine* 2 : 9-12, 1990.

Mock B., Krall M., Kozak C., Nesbitt M., McBride W., Renauld J-C. and Van Snick J. IL9 maps to mouse chromosome 13 and human chromosome 5. *Immunogenetics* 31 : 265-270, 1990.

Renauld J-C., Goethals A., Houssiau F., Merz H., Van Roost E. and Van Snick J. Human P40/IL-9. Expression in activated CD4+ T cells, genomic organization, and comparison with the mouse gene. *Journal of Immunology*, 144 : 4235-4241, 1990.

Vink A., Coulie P., Warnier G., Renauld J-C., Stevens M., Donckers D. and Van Snick J. Mouse plasmacytoma growth in vivo : enhancement by interleukin-6 (IL-6) and inhibition by antibodies directed against IL-6 or its receptor. *Journal of Experimental Medicine*, 172 : 997-1000, 1990.

Druez C., Coulie P., Uyttenhove C. and Van Snick J. Functional and biochemical characterization of mouse P40/IL-9 receptors. *Journal of Immunology*, 145 : 2494-2499, 1990.

Hültner L., Druez C., Moeller J., Uyttenhove C., Schmitt E., Rüde E., Dörmer P. and Van Snick J. Mast cell growth-enhancing activity (MEA) is structurally related and functionally identical to the novel mouse T cell growth factor P40/TCGFIII (interleukin 9). *European Journal of Immunology*, 20 : 1413-1416, 1990.

Coulie P.C., Vink A. and Van Snick J. A monoclonal antibody specific for the murine IL-6-receptor inhibits the growth of a mouse plasmacytoma in vivo. *Current Topics in Microbiology and Immunology*, 166:43-46, 1990.

Uyttenhove C., Druez C., Renauld J-C., Hérin M., Noël H. and Van Snick J. Autonomous growth and tumorigenicity induced by P40/interleukin 9 cDNA transfection of a mouse P40-dependent T cell line. *Journal of Experimental Medicine*, 173 : 519-522, 1991.

Coulie P., Uyttenhove C., Wauters P., Manolios N., Klausner R., Samelson L. and Van Snick J. Identification of a murine monoclonal antibody specific for an allotypic determinant on mouse CD3. *European Journal of Immunology*, 21 : 1703-1709, 1991.

Merz, H., Houssiau, F.A., Orschescheck, K., Renauld, J.-C., Fliedner, A., Hérin, M., Noël, H., Kadin, M., Mueller-Hermelink, H.K., Van Snick, J., and A.C. Feller. Interleukin 9 expression in human malignant lymphomas: unique association with Hodgkin's disease and large cell anaplastic lymphoma. *Blood*. 78:1311-1317, 1991.

Modi, W.S., Pollock, D.D., Mock, B.A., Banner, C., Renauld, J.-C., and J. Van Snick. Regional localization of the human glutaminase (GLS) and Interleukin-9 (IL9) genes by in situ hybridization. *Cytogenet. Cell. Genet.* 57:114-116, 1991.

Schmitt E., Beuscher U., Huels C., Monteyne P., Van Brandwijk R., Van Snick J. and Ruede E. IL-1 serves as a secondary signal for IL-9 expression. *Journal of Immunology*, 147 : 3848-3854, 1991.

Houssiau F., Renauld J-C., Fibbe W., Van Snick J. Interleukin 2-dependence of interleukin 9 expression in human T lymphocytes. *Journal of Immunology*, 148 : 3147-3151, 1992.

Renauld J-C., Druez C., Kermouni A., Houssiau F., Uyttenhove C., Van Roost E. and Van Snick J. Expression cloning of the murine and human interleukin 9 receptor cDNAs. *Proceedings of the National Academy of Sciences USA*, 89 : 5690-5694, 1992.

Libert C., Vink A., Coulie P., Brouckaert P., Everaerd B., Van Snick J. and Fiers W. Limited involvement of interleukin-6 in the pathogenesis of lethal septic shock as revealed by the effect of monoclonal antibodies against interleukin-6 or its receptor in various murine models. *European Journal of Immunology*, 22 : 2625-2630, 1992.

Monteyne Ph., Renauld J-C. and Coutelier J-P. Differential regulation by phorbol myristate acetate of IFN- γ and IL-4 expression in anti-CD3 stimulated mouse spleen cells. *Immunology*, 75 : 206-208, 1992.

Fiorillo MT., Toniatti C., Van Snick J. and Ciliberto G. Expression of the murine interleukin 6 receptor in hepatoma cells : the intracytoplasmic domain is not required for interleukin 6 signal transduction. *European Journal of Immunology*, 22 : 799-804, 1992.

Birner A., Hültner L., Mergenthaler H-G., Van Snick J. and Dörmer P. Recombinant murine interleukin 9 enhances the erythropoietin-dependent colony formation of human BFU-E. *Experimental Hematology* 20 : 541-545, 1992.

Van Damme J., Uyttenhove C., Houssiau F., Put W., Proost P. and Van Snick J. Human growth factor for murine interleukin (IL)-9 responsive T cell lines : co-induction with IL-6 in fibroblasts and identification as LIF/HILDA. *European Journal of Immunology*, 22 : 2801-2808, 1992.

Berney T., Fulpius T., Shibata T., Reininger L., Van Snick J., Shan H., Weigert M., Marshak-Rothstein A. and Isui S. Selective pathogenicity of murine rheumatoid factors of the cryoprecipitable IgG3 subclass. *International Immunology*, 4 : 93-99, 1992.

Houssiau F., Renauld J-C., Stevens M., Lehmann F., Coulie P.G. and Van Snick J. Human T cell lines and clones respond to IL-9. *Journal of Immunology*, 150 : 2634-2640, 1993.

Vink A., Renauld J-C., Warnier, G. and Van Snick J. Interleukin-9 stimulates in vitro growth of mouse thymic lymphomas. *European Journal of Immunology*, 23 : 1134-1138, 1993.

Dugas B., Renauld J-C., Pène J., Bonnefoy J-Y., Petit-Frère C., Braquet P., Bousquet J., Van Snick J. and Mencia-Huerta J-M. Interleukin-9 potentiates the interleukin-4-induced immunoglobulin (IgG., IgM and IgE) production by normal human B lymphocytes. European Journal of Immunology, 23 : 1687-1692, 1993.

Dugas B., Van Snick J., Renauld J-C., Braquet P., Mencia-Huerta J-M.. Functional interaction between interleukin-9/P40 and interleukin-4 in the induction of IgE production by normal human B lymphocytes. Biotechnol. Ther. 4(1-2) : 31-42, 1993.

Monteyne Ph., Van Broeck J., Van Snick J., Coutelier J-P. Inhibition by lactate dehydrogenase-elevating virus of in vivo interleukin 4 production during immunization with keyhole limpet haemocyanin. Cytokine, 5 : 394-397, 1993.

Pitton C., Rebollo A., Van Snick J., Thèze J. and Garcia A. High-affinity and intermediate-affinity forms of the human interleukin 2 receptor, expressed in an interleukin 9-dependent murine T cell line, deliver proliferative signals via differences in their transduction pathways. Cytokine, 5 : 362-371, 1993.

Renauld J-C., van der Lugt N., Vink A., van Roon M., Godfraind C., Warnier G., Merz H., Feller A., Berns A. and Van Snick J. Thymic lymphomas in interleukin 9 transgenic mice. Oncogene, 9 : 1327-1332, 1994.

Coulie P.G., Brichard V., Van Pel A., Wölfel T., Schneider J., Traversari C., Mattei S., De Plaen E., Lurquin C., Szikora J-P., Renauld J-C. and Boon T. A new gene coding for a differentiation antigen recognized by autologous cytolytic T lymphocytes on HLA-A2 melanomas. Journal of Experimental Medicine, 180 : 35-42, 1994.

Brailly H., Montero-Julian F., Zuber C., Flavetta S., Grassi J., Houssiau F. and Van Snick J. Total interleukin-6 in plasma measured by immunoassay. Clinical Chemistry, 40 : 116-123, 1994.

Kimura Y., Takeshita T., Kondo M., Ishii N., Nakamura M., Van Snick J. and Sugamura K. Sharing of the IL-2 receptor γ chain with the functional IL-9 receptor complex. International Immunology, 7 : 115-120, 1995.

Renauld J-C., Vink A., Louahed J. and Van Snick J. IL-9 is a major anti-apoptotic factor for thymic lymphomas. Blood, 85 : 1300-1305, 1995.

Houssiau F., Schandené L., Stevens M., Cambiaso C., Goldman M., Van Snick J. and Renauld J-C. A cascade of cytokines is responsible for IL-9 expression in human T cells : involvement of IL-2, IL-4 and IL-10. Journal of Immunology, 154 : 2624-2630, 1995.

Louahed J., Kermouni N., Van Snick J. and Renauld J-C. IL-9 induces expression of granzymes and high affinity IgE receptor in murine T helper clones. Journal of Immunology, 154 : 5061-5070, 1995.

Gajewski T., Renauld J-C., Van Pel A. and Boon T. Costimulation with B7-1, IL-6, and IL-12 is sufficient for primary generation of murine anti-tumor cytolytic T lymphocytes in vitro. Journal of Immunology, 154 : 5637-5648, 1995.

Snyers L., Renauld J-C., Szpirer C. and Content J. Cloning and chromosomal localization of a pseudogene corresponding to a mRNA for a soluble IL-6 receptor. The Journal of Sequencing and Mapping, 5 : 311-314, 1995.

Houssiau F., Lefebvre C., Vanden Berghe M., Lambert M., Devogelaer J-P. and Renauld J-C. Serum interleukin 10 titers in systemic lupus erythematosus reflect disease activity. Lupus, 4 : 393-395, 1995.

Boël P., Wildmann C., Sensi M.L., Brasseur R., Renauld J-C., Coulie P., Boon T. and van der Bruggen P. BAGE, a new gene encoding an antigen recognized on human melanomas by cytolytic T lymphocytes. Immunity, 2 : 167-175, 1995.

Kermouni A., Van Roost E., Arden K.C., Vermeesch J.R., Weiss S., Godelaine D., Flint J., Lurquin C., Szikora J-P., Higgs D., Marynen P. and Renauld J-C. The IL-9 receptor gene : genomic structure, chromosomal localization in the pseudoautosomal region of the long arm of the sex chromosomes and identification of IL-9R pseudogenes at 9qter, 10pter, 16pter and 18pter. Genomics, 29 : 371-382, 1995.

Louahed J., Renauld J-C., Demoulin J-B., Baughman G., Bourgeois S., Sugamura K. and Van Snick J. Differential activity of Dexamethasone on IL-2-, IL-4- or IL-9-induced proliferation of murine factor-dependent T cell lines. *Journal of Immunology*, 156 : 3704-3710, 1996.

Higuchi M., Asao H., Tanaka N., Oda K., Takeshita T., Nakamura M., Van Snick J. and Sugamura K. Dispensability of Jak1 tyrosine kinase for interleukin-2-induced cell growth signaling in a human T cell line. *European Journal of Immunology*, 26 : 1322-1327, 1996.

Demoulin J-B., Uyttenhove C., Van Roost E., de Lestré B., Donckers D., Van Snick J. and Renauld J-C. A single tyrosine of the Interleukin-9 (IL-9) receptor is required for STAT activation, antiapoptotic activity, and growth regulation by IL-9. *Molecular and Cellular Biology*, 16 : 4710-4716, 1996.

Van Snick J., Houssiau F., Proost P., Van Damme J. and Renauld J-C. I-309/T cell activation gene-3 chemokine protects murine T cell lymphomas against dexamethasone-induced apoptosis. *Journal of Immunology*, 157 : 2570-2576, 1996.

Klimka A., Barth S., Drillich S., Wels W., Van Snick J., Renauld J-C., Tesch H., Bohlen H., Diehl V. and Engert A. A deletion mutant of *Pseudomonas* exotoxin-A fused to recombinant human interleukin-9 (rhIL-9 ETA') shows specific cytotoxicity against IL-9-receptor-expressing cell lines. *Cytokines and Molecular Therapy*, 2 : 139-146, 1996.

Schumann R.R., Nakarai T., Gruss H.J., Brach M.A., Vonarnim U., Kirschning C., Karawajew L., Ludwig W.D., Renauld J-C., Ritz J. and Herrmann F. Transcript synthesis and surface expression of the interleukin 2 receptor (alpha, beta and gamma chain) by normal and malignant myeloid cells. *Blood*, 87 : 2419-2427, 1996.

Zarour H., De Smet C., Lehmann F., Marchand M., Lethé B., Romero P., Boon T. and Renauld J-C. The majority of autologous cytolytic T lymphocyte clones derived from peripheral blood lymphocytes of a melanoma patient recognize an antigenic peptide derived from gene Pmel17/gp100. *Journal of Investigative Dermatology*, 107 : 63-67, 1996.

Faulkner, H., Renauld, J.-C., Van Snick, J. and Grencis, R.K. Interleukin-9 enhances resistance to the intestinal nematode *trichuris muris*. *Infect. Immun.* 66 : 3832-3840, 1998.

Vermeesch J.R., Petit P., Kermouni A., Renauld J-C., Van Den Berghe H. and Marynen P. The IL-9 receptor gene, located in the Xq/Yq pseudoautosomal region, has an autosomal origin, escapes X inactivation and is expressed from the Y. *Human Molecular Genetics*, 6 : 1-8, 1997.

Houssiau F., Mascart-Lemone F., Stevens M., Libin M., Devogelaer J-P., Goldman M. and Renauld J-C. IL-12 inhibits in vitro immunoglobulin production by human lupus peripheral blood mononuclear cells. *Clinical and Experimental Immunology*, 108 : 375-380, 1997.

Uyttenhove C., Godfraind C., Lethé B., Amar-Costepec A., Renauld J.-C., Gajewski T.F., Duffour M.-T., Warnier G., Boon T. and Van den Eynde B.J. The expression of mouse gene P1A in testis does not prevent safe induction of cytolytic T cells against a P1A-encoded tumor antigen. *International Journal of Cancer*, 70 : 349-356, 1997.

Faulkner H., Humphreys N., Renauld J-C., Van Snick J. and Grencis R. IL-9 is involved in host protective immunity to intestinal nematode infection. *European Journal of Immunology*, 10 : 2536-2540, 1997.

Monteyne Ph., Renauld J-C., Van Broeck J., Dunne D., Brombacher F., and Coutelier J-P. IL-4-independent regulation of in vivo IL-9 expression. *The Journal of Immunology*, 159 : 2616-2623, 1997.

Huaux F., Louahed J., Hudspith B., Meredith C., Delos M., Renauld J-C., and Lison D. Role of Interleukin-10 (IL-10) in the lung response to silica in mice. *Am. J. Resp. Mol. Cell. Biol.* 18 : 51-59, 1998.

Godfraind C., Louahed J., Faulkner H., Vink A., Warnier G., Grencis R. and Renauld J-C. Intraepithelial infiltration by mast cells with both connective tissue type and mucosal type characteristics in gut, trachea and kidneys of interleukin-9 transgenic mice. *Journal of Immunology*, 160 : 3989-3996, 1998.

Guéguen M., Patard J-J., Gaugler B., Brasseur F., Renauld J-C., Van Cangh P-J., Boon T. and Van den Eynde B. An antigen recognized by autologous CTL on a human bladder carcinoma. *Journal of Immunology*, 160:6188-6194, 1998.

Lauwerys B., Renaud J-C., and Houssiau F. Inhibition of in vitro immunoglobulin production by IL-12 in murine chronic graft-vs.-host disease : synergism with IL-18. European Journal of Immunology, 28 : 2017-2024, 1998.

Grasso, L., Huang, M., Sullivan, C.D., Messler,C.J., Kiser, M.B., Dragwa, C.R., Holroyd, K.J., Renaud, J.-C., Levitt, R.C. and Nicolaides, N.C. Molecular analysis of human Interleukin-9 receptor transcripts in peripheral blood mononuclear cells: identification of a splice variant encoding for a non-functional cell surface receptor. Journal of Biological Chemistry, 273 : 24016-24024, 1998

Robbens, J., Louahed, J., Seghers, C.A., Ampe, C., Vandekerckhove, J. and Renaud, J.-C. Murine adseverine(D5), a novel form of the gelsolin family and murine adseverin, are induced by interleukin-9 in murine T-Helper lymphocytes. Molecular and Cellular Biology, 18 : 4589-4596, 1998.

McLane, M.P., Haczku, A., van de Rijn, M., Weiss, C., Ferrante, V., MacDonald, D., Renaud, J.-C., Nicolaides, N.C., Holroyd, K.J. and Levitt, R.C. Interleukin-9 promotes allergen-induced eosinophilic inflammation and airway hyperresponsiveness in transgenic mice. Am. J. Resp. Cell Mol. Biol. 19 : 713-720, 1998.

Demoulin J-B., Maisin D., and Renaud J-C. Ly-6A/E induction by interleukin-6 and interleukin-9 in T cells. European Cytokine Network, 10 : 49-56, 1999.

Imbert V., Reichenbach P., and Renaud J-C. Duration of STAT5 activation influences the response of interleukin-2 receptor alpha gene to different cytokines. European Cytokine Network, 10 : 71-78, 1999.

Vink A., Warnier G., Brombacher F., and Renaud J-C. IL-9-induced in vivo expansion of the B-1 lymphocyte population. Journal of Experimental Medicine, 189 : 1413-1423, 1999.

Richard M., Louahed J., Demoulin J-B., and Renaud J-C. Interleukin-9 regulates NF-kB activity through BCL3 gene induction. Blood, 93 : 4318-4327, 1999.

Demoulin J-B., Van Roost E., Stevens M., Groner B., and Renaud J-C. Distinct roles for STAT1, STAT3 and STAT5 in differentiation gene induction and apoptosis inhibition by interleukin-9. Journal of Biological Chemistry, 274 : 25855-25861, 1999.

Huaux F., Lardot C., Arras M., Delos M., Many M-C., Coutelier, J.-P., Buchet, J.-P., Renaud, J.-C. and Lison, D. Lung fibrosis induced by silica particles in NMRI mice is associated with an upregulation of the P40 subunit of Interelukin-12 (IL-12) and TH2 manifestations. Am. J. Resp. Cell. Mol. Biol., 20 : 561-572, 1999.

Huaux F., Arras M., Vink A., Renaud J-C., and Lison D. Soluble TNF receptors (p55 and p75) and interleukin-10 (IL-10) regulate Tumor Necrosis Factor alpha (TNF- α) activity in lung fibrosis induced by silica particles in NMRI mice. American Journal of respiratory cell and molecular biology 21 : 137-145, 1999.

Dong Q., Louahed J., Vink A., Sullivan C., Messler C., Zhou Y., Haczku A., Huaux F., Arras M., Holroyd K., Renaud J-C., Levitt R., and Nicolaides N. Interleukin-9 induces chemokine expression in lung epithelial cells and baseline airway eosinophilia in transgenic mice. European Journal of Immunology, 29 : 2130-2139, 1999.

Louahed J., Grasso L., De Smet C., Van Roost E., Wildmann C., Nicolaides N., Levitt R., and Renaud J-C. Interleukin-9-induced expression of M-Ras/R-Ras3 oncogene in T helper clones. Blood, 94 : 1701-1710, 1999.

Lauwerys B.R., Renaud J-C., and Houssiau F.A. Synergistic proliferation and activation of natural killer cells by interleukin-12 and interleukin-18. Cytokine, 11 : 822-830, 1999.

Dumoutier L., Louahed J., and Renaud J-C. Cloning and characterization of IL-10-related T cell-derived inducible factor (IL-TIF), a novel cytokine structurally related to IL-10 and inducible by IL-9. The Journal of Immunology, 164 : 1814-1819, 2000.

Richard M., Grencis R., Humphreys N., Renaud J.-C., and Van Snick J. Anti-IL-9 vaccination prevents worm expulsion and blood eosinophilia in *Trichuris muris*-infected mice. Proceedings of the National Academy of Sciences USA, 97 : 767-772, 2000.

De Smedt M., Verhasselt B., Kerre T., Vanhecke D., Naessens E., Leclercq G., Renauld J-C., Van Snick J., and Plum J. Signals from the IL-9 receptor are critical for the early stages of human intrathymic T cell development. *Journal of Immunology*, 164 : 1761-1767, 2000.

Grohmann U., Van Snick J., Campanile F., Silla S., Giampietri A., Vacca C., Renauld J-C., Fioretti M., and Puccetti P. IL-9 protects mice from gram-negative bacterial shock : suppression of TNF- α , IL-12, and IFN- γ , and induction of IL-10. *The Journal of Immunology*, 164 : 4197-4203, 2000.

Dommergues M-A., Patkai J., Renauld J-C., Evrard P., and Gressens P. Pro-inflammatory cytokines and IL-9 exacerbate excitotoxic lesions of the newborn murine Neopallium. *Ann. Neurol.*, 47 : 54-63, 2000.

De Smedt M., Verhasselt B., Kerre T., Vanhecke D., Naessens E., Leclercq G., Renauld J-C., Van Snick J., and Plum J. Signals from the IL-9 receptor are critical for the early stages of human intrathymic T cell development. *Journal of Immunology*, 164 : 1761-1767, 2000.

Dumoutier L., Van Roost E., Colau D., Ameye G., Michaux L., and Renauld J-C. Human IL-TIF : molecular cloning and functional characterization as an hepatocyte stimulating factor. *Proceedings of the National Academy of Sciences, USA*, 97 : 10144-10149, 2000.

Fallon P.D., Smith P., Richardson E., Jones F., Faulkner H., Van Snick J., Renauld J-C., Grencis R., and Dune D. Overexpression of Interleukin-9 leads to Th2 cytokine dominated responses and fatal enteropathy during chronic *Schistosoma mansoni* infection. *Infection and Immunity*, 68 : 6005-6011, 2000.

Schultz ES, Lethé B, Cambiaso CL, Van Snick J, Chaux P, Corthals J, Heirman C, Thielemans K, Boon T, and van der Bruggen P. A MAGE-A3 peptide presented by HLA-DP4 is recognized on tumor cells by CD4+ cytolytic T lymphocytes. *Cancer Research*, 60 : 6272-6275, 2000.

Lauwerys B., Garot N., Renauld J-C., Houssiau F. Cytokine production and killer activity of NK/T-NK cells derived with IL-2, IL-15, or the combination of IL-12 and IL-18. *Journal of Immunology*, 165 : 1847-1853, 2000.

Lauwerys B., Garot N., Willems F., Goldman M., Renauld J-C., and Houssiau F.A. IL-10 blockade corrects impaired in vitro cellular immune responses of SLE patients. *Arthritis Rheumatology*, 43 : 1976-1981, 2000.

Louahed J, Toda M, Jen J, Hamid Q, Renauld JC, Levitt RC, Nicolaides NC. Interleukin-9 upregulates mucus expression in the airways. *American Journal of respiratory cell and molecular biology*, 22 : 649-656, 2000.

Rebollo A, Dumoutier L, Renauld JC, Zaballos A, Ayllon V, Martinez-A C. Bcl-3 expression promotes cell survival following interleukin-4 deprivation and is controlled by AP1 and AP1-like transcription factors. *Molecular and Cellular Biology*, 20 : 3407-3416, 2000.

Demoulin J-B., Grasso L., Atkins J., Stevens M., Louahed J., Levitt R., Nicolaides N., and Renauld J-C. Role of Insulin receptor substrate-2 in interleukin-9-dependent proliferation. *FEBS Letter*, 482 : 200-204, 2000.

Bittner C., Feller A., Renauld J-C., Lange K., Pietrzik R., Jenetzky C., Briese J., Gaiser T., Müller A., Wiedemann G., Van Snick J., and Merz H. An animal model for anaplastic large cell lymphoma in the immunocompetent syngeneic C57Bl/6 mouse. *Laboratory Investigation*, 80 : 1523-1531, 2000.

Dumoutier L., Van Roost E., Colau D., Ameye G., Michaux L., and Renauld J-C. IL-TIF/IL-22 : genomic organization and mapping of the human and mouse genes. *Genes and Immunity*, 1 : 488-494, 2000.

Lejeune D., Demoulin J-B., and Renauld J-C. Interleukin-9 induces expression of three cytokine signal inhibitors : CIS, SOCS-2 and SOCS-3 but only SOCS-3 overexpression suppresses IL-9 signalling. *Biochemical Journal*, 353 : 109-116, 2001.

Louahed J., Zhou Y., Maloy W.L., Rani P.U., Weiss C., Tomer Y., Vink A., Renauld J-C., Van Snick J., Nicolaides N.C., Levitt R.C., and Haczku A. Interleukin-9 promotes influx and local maturation of eosinophils. *Blood*, 97 : 1035-1042, 2001.

Chaux P., Lethé B., Van Snick J., Corthals, J., Schultz E., Cambiaso C., Boon T., and van der Bruggen P. A MAGE-1 peptide recognized on HLA-DR15 by CD4+ T cells. *European Journal of Immunology*, 31 : 1910-1916, 2001.

Arras M., Huaux F., Vink A., Delos M., Coutelier J-P., Many M-C., Barbarin V., Renauld J-C. and Lison D. Interleukin-9 reduces lung fibrosis and type 2 immune polarization induced by silica particles in a murine model. *American Journal of respiratory cell and molecular biology*, 24 :368-375, 2001.

Demoulin J-B., Van Snick J., and Renauld J-C. Interleukin-9 induces cell growth arrest associated with sustained STAT activation in lymphoma cells over-expressing the IL-9 receptor. *Cell growth and differentiation*, 12 : 169-174, 2001.

Jenmalm M., Van Snick J., Cormont F., and Salman B. Allergen-induced Th1 and Th2 cytokine secretion in relation to specific allergen sensitization and atopic symptoms in children. *Clinical and Experimental Allergy*, 31 : 1528-1535, 2001.

Ruckes T., Saul D., Van Snick J., Hermine O., and Grassmann R. Autocrine antiapoptotic stimulation of cultured adult T-cell leukemia cells by overexpression of the chemokine I-309. *Blood*, 98 : 1150-1159, 2001.

Markine-Goriaynoff D., Nguyen T., Bigaignon G., Van Snick J., and Coutelier J-P. Distinct requirements for IL-6 in polyclonal and specific Ig production induced by microorganisms. *International Immunology*, 13 : 1185-1192, 2001.

Dumoutier L., Lejeune D., Colau D., and Renauld J-C. Cloning and characterization of Interleukin-22 binding protein, a natural antagonist of IL-10-related T cell-derived inducible factor/IL-22. *Journal of Immunology*, 166 : 7090-7095, 2001.

Dumoutier L., Leemans C., Lejeune D., Kotenko S., and Renauld J-C. Cutting edge : STAT activation by IL-19, IL-20 and mda-7 through IL-20 receptor complexes of two types. *The Journal of Immunology*, 167 : 3545-3549, 2001.

Orabona C., Dumoutier L., and Renauld J-C. IL-9 induces 24P3 lipocalin gene expression in murine T cell lymphomas. *European Cytokine Network*, 12 : 154-166, 2001.

Honoré, P.M., Jacquet, L., Beale, R., Renauld, J.-C., Valadi, D., Noirhomme, P., and Goenen, M. Effect of normothermia versus hypothermia on extravascular lung water and serum cytokines during cardiopulmonary bypass: a randomized, controlled trial. *Crit. Care Med.* 29 : 1903-1909, 2001.

Patkai, J., Mesplles, B., Dommergues, M.-A., Fromont, G., Thornton, E.M., Renauld, J.-C., Evrard P., and Gressens, P. Deleterious effects of IL-9-activated mast cells and neuroprotection by antihistamine drugs in the developing mouse brain. *Pediatric Research*, 50 : 222-230, 2001.

Pilette C., Ouadrhiri Y., Van Snick J., Renauld J-C., Staquet P., Vaerman J-P., and Sibille Y. Interleukin-9 inhibits oxidative burst and TNF-a release in LPS-stimulated human monocytes through TGF- β . *the Journal of Immunology*, 168 : 4103-4111, 2002.

Nagem, R.A.P., Lucchesi, K.W., Colau, D., Dumoutier, L., Renauld, J.-C., and Polikarpov, I. Crystallization and synchrotron X-ray diffraction studies of human interleukin-22. *Acta Crystallogr. D*. 58: 529-531, 2002.

Dumoutier L., and Renauld J-C. Viral and cellular interleukin-10 (IL-10)-related cytokines : from structures to functions. *European Cytokine Network*, 13 : 5-15, 2002.

Fleischer A., Ayillon V., Dumoutier L., Renauld J-C., and Rebollo A. Proapoptotic activity of ITM2Bs, a BH3-only protein induced upon IL-2-deprivation which interacts with Bcl-2. *Oncogene*, 21 : 3181-3189, 2002.

Pilette, C., Ouadrhiri, Y., Van Snick, J., Renauld, J.-C., Staquet, P., Vaerman, J.-P., and Sibille, Y. Oxidative burst in lipopolysaccharide-activated human alveolar macrophages is inhibited by interleukin-9. *European Respiratory Journal*, 20 : 1198-1205, 2002.

Belladonna M.L., Renauld J-C., Bianchi R., Vacca C., Fallarino F., Orabona C., Fioretti M.C., Grohmann U., and Puccetti P. IL-23 and IL-12 have overlapping, but distinct, effects on murine dendritic cells. *The Journal of immunology*, 168 : 5448-5454, 2002.

Lejeune D., Dumoutier L., Constantinescu S., Kruijer W., Schuringa J.J., and Renauld J-C. IL-22 activates the JAK/STAT, ERK, JNK and p38 MAP kinase pathways in a rat hepatoma cell line : shared and distinct pathways from IL-10. *Journal of Biological Chemistry*, 277 : 33676-33682, 2002.

Lauwers BR, Van Snick J, Houssiau FA. Serum IL-12 in systemic lupus erythematosus: absence of p70 heterodimers but presence of p40 monomers correlating with disease activity. *Lupus*, 11 : 384-387, 2002.

Nagem R.A.P., Colau D., Dumoutier L., Renauld J.-C., Ogata C., and Polikarpov I. Crystal structure of recombinant of human interleukin-22. *Structure*, 10 : 1051-1062, 2002.

Huaux, F., Arras, M., Tomasi, D., Barbarin, V., Delos, M., Coutelier, J.-P., Vink, A., Phan, S.H., Renauld, J.-C., and Lison D. A Profibrotic Function of IL-12p40 in Experimental Pulmonary Fibrosis. *J. Immunol.* 169: 2653-2661, 2002.

Lange K., Uckert W., Blankenstein T., Nadrowitz R., Bittner C., Renauld J-C., Van Snick J., Feller A., and Merz H. Overexpression of NPM-ALK induces different types of malignant lymphomas in IL-9 transgenic mice. *Oncogene*, 22 : 517-527, 2003.

Louahed J., Struyf S., Demoulin J.-B., Parmentier M., Van Snick J., Van Damme J. and Renauld J.-C. CCR8-dependent activation of RAS/MAKP pathway mediates anti-apoptotic activity of I309/CCL1 and vMIP-I. *European Journal of immunology*, 33 : 494-501, 2003.

Dumoutier, L., Lejeune D., Hor S., Fickenscher H. and Renauld J-C. Cloning of a new type II cytokine receptor activating signal transducer and activator of transcription (STAT)1, STAT2 and STAT3. *Biochemical Journal*, 370 : 391-396, 2003.

Khan WI, Richard M, Akiho H, Blennerhasset PA, Humphreys NE, Grencis RK, Van Snick J, Collins SM. Modulation of Intestinal Muscle Contraction by Interleukin-9 (IL-9) or IL-9 Neutralization: Correlation with Worm Expulsion in Murine Nematode Infections. *Infect Immun.* 71 : 2430-2438, 2003.

Demoulin J-B., Louahed J., Dumoutier L., Stevens M., and Renauld J-C. MAP kinase activation by IL-9 in lymphoid and mast cell lines. *Oncogene*, 22 : 1763-1770, 2003.

Caroline Bouzin, Frédéric Clotman, Jean-Christophe Renauld, Frédéric P. Lemaigne, and Guy G. Rousseau. The Onecut Transcription Factor Hepatocyte Nuclear Factor-6 Controls B Lymphopoiesis in Fetal Liver. *The Journal of Immunology*, 171 : 1297-1303, 2003.

Poulin, L.F., Richard, M., Le Moine, A., Kiss, R., McKenzie, A.N., Goldman, M., Renauld, J.-C., Van Snick, J., and Braun, M.Y. IL-9 promotes eosinophilic rejection of mouse heart allografts. *Transplantation*. 76 : 572-577, 2003.

Nguyen T.D., Bigaignon G., Markine-Goriaynoff D., Heremans H., Nguyen T.N., Warnier G., Delmee M., Wolf S., Uyttenhove C., Van Snick J., and Coutelier J-P. Virulent toxoplasma gondii strain RH promotes T-cell-independent overproduction of proinflammatory cytokines IL12 and gamma-interferon. *Journal of Medical Microbiology*, 52 : 869-876, 2003.

Fischer M, Bijman M, Molin D, Cormont F, Uyttenhove C, van Snick J, Sundstrom C, Enblad G, Nilsson G. Increased serum levels of interleukin-9 correlate to negative prognostic factors in Hodgkin's lymphoma. *Leukemia*. 200317 : 2513-2516, 2003.

Barbarin V, Petrek M, Kolek V, Van Snick J, Huaux F, Lison D. Characterization of p40 and IL-10 in the BALF of patients with pulmonary sarcoidosis. *J Interferon Cytokine Research*, 23 : 449-456, 2003.

Turner J., Faulkner H., Kamgno J., Cormont F., Van Snick J., Else K., Grencis R., Behnke J., Boussinesq M., and Brandley J. Th-2 like cytokine responses correlate with age-dependent reduction in worm burdens in a human intestinal nematode infection. *Journal of Infectious Diseases*, 188 : 1768-1775, 2003.

Ramesh R, Mhashilkar AM, Tanaka F, Saito Y, Branch CD, Sieger K, Mumm JB, Stewart AL, Boquio A, Dumoutier L, Grimm EA, Renaud JC, Kotenko S, Chada S. Melanoma Differentiation-associated Gene 7/Interleukin (IL)-24 Is a Novel Ligand That Regulates Angiogenesis via the IL-22 Receptor. *Cancer Research*, 63 : 5105-5113, 2003.

Sheikh F., Baurain VV., Lewis-Antes A., Shah NK., Smirnov SV., Anantha S., Dickensheets H., Dumoutier L., Renaud JC., Zdanov A., Donnelly RP., and Kotenko SV. Cutting edge : IL-26 signals through a novel receptor complex composed of IL-20 receptor 1 and IL-10 receptor 2. *Journal of Immunology*, 172 : 2006-2010, 2004.

Lombry C., Marteleur A., Arras M., Lison D., Louahed J., Renaud J.-C, Préat V. and Vanbever R. Local and systemic immune responses to intratracheal instillation of antigen and DNA vaccines in mice, *Pharmaceutical Research*, 21 : 127-135, 2004.

Koops L, Louahed J, Renaud JC. IL-9-induced expansion of B-1b cells restores numbers but not function of B-1 lymphocytes in xid mice. *The Journal of Immunology*, 172 :6101-6106, 2004.

Dumoutier L, Tounsi A, Michiels T, Sommereyns C, Kotenko SV, Renaud JC. Role of the interleukin (IL)-28 receptor tyrosine residues for antiviral and antiproliferative activity of IL-29/interferon-lambda 1: similarities with type I interferon signaling. *Journal of Biological Chemistry*, 279 : 32269-32274, 2004.

Bartlett, N.W., Dumoutier, L., Renaud, J.-C., Kotenko, S., McVey, C., Lee, H.-J. and Smith, G.L. A new member of the interleukin 10-related cytokine family encoded by a poxvirus. *J. Gen. Virol.* 85:1401-1412, 2004.

Hör, S., Pirzer, H., Dumoutier, L, Bauer, F., Wittmann, S., Sticht, H., Renaud, J.-C., de Waal-Malefyt, R., and Fickenscher, H. The T-cell lymphokine interleukin-26 targets epithelial cells through the interleukin-20 receptor 1 and interleukin-10 receptor 2 chains. *Journal of Biological Chemistry*, 279 : 33343-33351, 2004.

Van Pesch, V., Lanaya, H., Renaud, J.-C., and Michiels T. Characterization of the murine interferon-alpha gene family. *Journal of Virology*, 78:8219-8228, 2004.

Uyttenhove C., Arendse B., Stroobant V., Brombacher F., and Van Snick J. Development of an anti-IL-12 p40 auto-vaccine : protection in experimental autoimmune encephalomyelitis at the expense of increased sensitivity to infection. *European Journal of Immunology*, 34 : 3572-3581, 2004.

Arras, M., Louahed, J., Heilier, J.F., Delos, M., Brombacher, F., Renaud, J.-C., Lison, D., Huaux, F. IL-9 Protects against Bleomycin-Induced Lung Injury: Involvement of Prostaglandins. *American Journal of Pathology*, 166:107-115, 2005.

Holtz L., Jakobsen K., Van Snick J., Cormont F., and Sewell W. Dexamethasone inhibits IL-9 production by human T cells. *Journal of Inflammation*, 2 : 3-11, 2005.

Koops L., Louahed J., Van Snick J., and Renaud J-C. IL-9 promotes but is not necessary for systemic anaphylaxis. *The Journal of Immunology*, 175 : 335-341, 2005.

Arendse B., Van Snick J., and Brombacher F. IL-9 is a susceptibility factor in Leishmania major infection by promoting detrimental Th2/Type 2 responses. *The Journal of Immunology*, 174 : 2205-2211, 2005.

Hauer A.D., Uyttenhove c;, de Vos P., Stroobant V., Renaud J-C., van Berkel T., Van Snick J., and Kuiper J. Blockade of interleukin-12 function by protein vaccination attenuates atherosclerosis. *Circulation*, 112 : 1054-1062, 2005.

Poulin L.F., Habran C., Stordeur P., Goldman M., McKenzie A., Van Snick J., Renaud J.-C., and Braun M. IL-9 stimulates the production of IL-5 in CD4+ cells. *European Cytokine Network*, 16 : 233-239, 2005.

Chi B, Dickensheets HL, Spann KM, Alston MA, Luongo C, Dumoutier L, Huang J, Renaud JC, Kotenko SV, Roederer M, Beeler JA, Donnelly RP, Collins PL, Rabin RL. Alpha and lambda interferon together mediate suppression of CD4 T cells induced by respiratory syncytial virus. *Journal of Virology*, 80 : 5032-5040, 2006.

Arras, M., Louahed, J., Simoen, V., Barbarin, V., Misson, P., van den Brûle, S., Delos, M., Knoops, L., Renaud, J.-C., Lison, D., and Huaux, F. B-lymphocytes are critical for the lung fibrosis control and PGE2 regulation in IL-9 transgenic mice. *Am. J. Resp. Cell. Mol. Biol.* 34 : 573-580, 2006.

Devos S., Cormont F., Vrtala S., Hooghe-Peters E., Pirson F., Van Snick J. Allergen-induced interleukin-9 production in vitro: correlation with atopy in human adults and comparison with interleukin-5 and interleukin-13. *Clin Exp Allergy*. 36 : 174- 82, 2006.

Ye J., Zhu Y., Khan W., Van Snick J., Huizinga J. IL-9 enhances growth of ICC, maintains network structure and strengthens rhythmicity of contraction in culture. *Journal of cellular and Molecular Medicine*, 10 : 687-694, 2006.

Finiasz M., Franco, de la Barrera £S., Rutizky L., Pizzariello G., del Carmen Sasiain M., Renaud JC., Van Snick J. and Fink S. IL-9 promotes anti-Mycobacterium leprae cytotoxicity : involvement of IFNg. *Clinical and Experimental Immunology*, 147 : 139-147, 2006.

Lu LF, Lind EF, Gondek DC, Bennett KA, Gleeson MW, Pino-Lagos K, Scott ZA, Coyle AJ, Reed JL, Van Snick J, Strom TB, Zheng XX, Noelle RJ. Mast cells are essential intermediaries in regulatory T-cell tolerance. *Nature*, 442 : 997-1002, 2006.

Eljaafari A., Van Snick J., Voisin A., Cormont F., Farre A., Bienvenu J., Bernaud J., Rigal D. and Thomas X. Alloreaction increases or restores CD40, CD54, and/or HLA molecule expression in acute myelogenous leukemia blasts, through secretion of inflammatory cytokines: dominant role for TNF β in concert with IFN γ . *Leukemia*, 20 : 1992-2001, 2006.

Uyttenhove C, Van Snick J. Development of an anti-IL-17A auto-vaccine that prevents experimental auto-immune encephalomyelitis. *European Journal of Immunology*, 36 : 2868-2874, 2006.

Uyttenhove C., Sommereyns C., Théate I., Michiels T., and Van Snick J. Anti-IL17A autovaccination prevents clinical and histological manifestations of auto-immune encephalomyelitis. *N.Y. Acad. Sci.*, 1110 : 330-336, 2007.

Le-Thi-Phuong, T., Dumoutier L., Renauld, J.-C., Van Snick, J., and Coutelier J.-P. Divergent roles of IFNs in the sensitization to endotoxin shock by lactate dehydrogenase-elevating virus. *Int. Immunol.* 19 : 1303-1311, 2007.

Steenwinckel V., Louahed J., Orabona C., Huaux F., Warnier G., McKenzie A., Lison D., Levitt R., and Renaud J.C. IL-13 mediates in vivo IL-9 activities on lung epithelial cells but not on hematopoietic cells. *Journal of Immunology*, 178 : 3244-3251, 2007.

van den Brûle S., Heymans J, Havaux X., Renaud JC., Lison D., Huaux F., and Denis O. Profibrotic Effect of IL-9 Overexpression in a Model of Airway Remodeling. *Am J Respir Cell Mol Biol.*, 37 : 202-209, 2007.

Kreymborg K., Etzensperger R., Dumoutier L., Haak S., Rebollo A., Buch T., Heppner F., Renaud J-C., and Becher B. IL-22 Is Expressed by Th17 Cells in an IL-23-Dependent Fashion, but Not Required for the Development of Autoimmune Encephalomyelitis. *The Journal of Immunology*, 179 : 8098-8104, 2007.

Kreis, S., Philippidou, D., Margue, C., Rolvering, C., Haan, C., Dumoutier, L., Renaud, J.-C., and Behrmann, I. Recombinant Interleukin-24 lacks apoptosis-inducing properties in melanoma cells. *PLoS ONE*. 2 : e1300, 2007.

Schroeder H., Daix V., Gillet L., Renaud J-C., and Vanderplasschen A. The paralogous salivary anti-complement proteins IRAC I and IRAC II encoded by Ixodes ricinus ticks have broad and complementary inhibitory activities against the complement of different host species. *Microbes Infect.*, 9 : 247-250, 2007.

Minne, A., Louahed, J., Mehauden, S., Baras, B., Renaud, J.-C., and Vanbever, R. The delivery site of a monovalent influenza vaccine within the respiratory tract impacts on the immune response. *Immunology*. 302 : 316-325, 2007.

Mace, B.E., Wang, H., Lynch, J.R., Moss, J., Sullivan, P., Colton, H., Morgan, K., Renauld, J.-C., and Laskowitz, D.T. Apolipoprotein E modifies the CNS response to injury via a histamine-mediated pathway. *Neurol. Res.* 29 : 243-250, 2007.

De Oliveira Neto, M., Ferreira Junior, J.R., Colau, D., Fischer, H., Nascimento, A.S., Craievich, A.F., Dumoutier, L., Renauld, J.-C., and Polikarpov, I. Interleukin-22 forms dimers which are recognized by two interleukin-22R1 receptor chains. *Biophys. J.* 94 : 1754-1765, 2008.

Flex E., Petrangeli V., Stella L., Chiaretti S., Hornakova T., Knoops L., Ariola C., Fodale V., Clappier E., Paoloni F., Martinelli S., Fragale A., Sanchez M., Tavolaro S., Messina M., Cazzaniga G., Camera A., Pizzolo G., Tornesello A., Vignetti M., Battistini A., Cavé H., Gelb B. D., Renauld J.-C., Biondi A., Constantinescu S. N., Foà R. and Tartaglia M. Somatically acquired JAK1 mutations in adult acute lymphoblastic leukemia. *Journal of Experimental Medicine*, 205 : 751-758, 2008.

Knoops L., Hornakova T., Royer Y., Constantinescu S., and Renauld J-C. JAK kinases overexpression promotes in vitro cell transformation. *Oncogene*, 27 : 1511-1519, 2008.

Kapessidou P., Poulin L., Dumoutier L., Godlman M., Renauld J-C., and Braun M.Y. Interleukin-22 deficiency accelerates the rejection of full major histocompatibility complex-disparate heart allografts. *Transplantation Proceedings*, 40 : 1593–1597, 2008.

Bleicher L., Ribeiro de Moura P., Watanabe L., Colau D., Dumoutier L., Renauld J-C., and Polikarpov I. Crystal structure of the IL-22/IL-22R1 complex and its implications for the IL-22 signaling mechanism. *FEBS Letters*, 582 : 2985-2992, 2008.

b. Reviews

Boon T., Vessière F., Van Snick J., Van Pel A., Uyttenhove C. Variants de cellules tumorales de souris obtenus par mutagenèse : nouveaux antigènes et induction d'une protection immunitaire contre la tumeur initiale. Arch. Biol. 93 : 111 - 125, 1982.

Fiers W., Brouckaert P., Content J., Contreras R., Everaerd B., Guisez Y., Libert C., Spriggs D., Takahashi N., Tison B., Vandenabeele P. and Van Snick J. Interleukin-6 : biological function and regulation of the gene expression in vitro and in vivo. Advances in Immunopharmacology 4. Proceedings of the 4th International Conference on Immunopharmacology, Osaka, Japan, pp. 185-190, 16-19 May 1988.

Van Damme J., Van Snick J., Decock B., Lenaerts J.-P., Put W., Opdenakker G. and Billiau A. The hybridoma/plasmacytoma growth factor (HPGF) activity of IL-6. Stimulation of its secretion by different inducers in various cell types. Advances in Immunopharmacology 4. Proceedings of the 4th International Conference on Immunopharmacology, Osaka, Japan, pp. 169-174, 16-19 May 1988.

Izui S., Gyotoku Y., Spertini F., Abdelmoula M., Coulie P., Van Snick J. and Lambert P. Pathogenesis of murine cryoglobulinemia. In : Immunorheumatology connectivities. Edited by M'Hamed Hamza and Slaheddine Sellami, Tunis 1988. Proceedings of 3rd Mediterranean Congress of Rheumatology, Tunis 2-3 May, 1988.

Van Snick J. and Nordan R. Interleukin-6. In : "Growth Factors, Differentiation Factors and Cytokines". Ed. A.Habenicht, Springer-Verlag, 1989.

Van Snick J., Renaud J-C., Simpson R., Uyttenhove C. and Vink A. Mouse IL-6. A hybridoma growth factor with multiple effects on normal B and T cells. Annals of the New York Academy of Sciences, 557 : 206-214, 1989.

Van Snick J. From hybridoma and plasmacytoma growth factors to interleukin 6. In : B lymphocytes : function and regulation. Contrib.Microbiol.Immunol. Basel, Karger (Eds. Del Guercio P., Cruse J.M.), Vol.11, pp. 73-95, 1989.

Van Snick J. Interleukin-6, an overview. Annual review of Immunology, 8 : 253-278, 1990.

Van Snick J., Druez C., Hültner L., Renaud J-C. and Uyttenhove C. P40/IL9, a new multipotential growth factor. In : Cytokines : Basic Principles and Clinical Applications (Eds. Romagnani S. and Abbas A.K.), Serono Symposia Publications from Raven Press, Raven Press, volume 68, pp.121-125, 1990.

Coulie P. and Van Snick J. Biology of interleukin-4 and interleukin-6. In : Haematopoietic growth factors : from the basic to clinical applications. (Eds. : M. Symann, P. Quesenberry, G. Morstyn). Gardinar-Caldwell Communications Ltd., 1992, pp. 143-146.

Houssiau F. and Van Snick J. IL6 and the T cell response. 46th Forum in Immunology, Research in Immunology (Annales de l'Institut Pasteur), 143 : 741-743, 1992.

Renaud J-C., Houssiau F., Vink A., Uyttenhove C., Warnier G. and Van Snick J. Biology of Interleukin-9 and its receptor. Proceedings of the 8th International Congress of Immunology, Budapest, august 1992. In : Progress in Immunology, volume 8, Springer-Verlag, pp.314-319, 1992.

Renaud J-C., Druez C., Kermouni A., Uyttenhove C., Houssiau F. and Van Snick J. Interleukin-9 and its receptor. In : New Advances on Cytokines. Eds Romagnani S., Mosmann T.R. and Abbas A.K. Serono Symposia Publications from Raven Press, Raven press, volume 92, pp. 143-147, 1992.

Renaud J-C., Houssiau F., Druez C., Uyttenhove C., Vink A. and Van Snick J. Interleukin-9. International review of Experimental Pathology, 34A : 99-109, 1993.

Renaud J-C., Houssiau F., Uyttenhove C., Vink A. and Van Snick J. Interleukin-9, a T cell growth factor with a potential oncogenic activity. Cancer Investigation, 11 : 635-640, 1993.

Renauld J-C., Houssiau F., Louahed J., Vink A., Van Snick J. and Uyttenhove C. Interleukin 9. Advances in Immunology, 54 : 79-97, 1993.

Renauld J-C. Interleukine-9. In : Les Cytokines. Edition Masson, chapitre 8, pp. 89-95, 1993.

Renauld J-C. and Van Snick J. Interleukin-9. In : The Cytokine Handbook, A. Thomson (Ed.), 2nd edition, Academic Press, pp. 209-221, 1994.

Louahed J., Kermouni A., Van Snick J. and Renauld J-C. Expression of mast cell specific proteases and high affinity IgE receptor by IL-9 activated T cell clones. In : Cytokines : basic principles and practical applications. Volume 8 : Challenges of Modern Medicine. Romagnani S., Del Prete G. and Abbas A. (Eds), Ares-Serono Symposia Publications, pp. 53-57, 1994.

Simpson R.J. and Renauld J-C. Interleukin-9 (IL-9). In : Guidebook to cytokines and their receptors. Nicos A. Nicola (Ed), a Sambrook and Tooze Publication at Oxford University Press, pp. 79-81, 1994.

Renauld J-C. The interleukin-9 receptor. In : Guidebook to cytokines and their receptors. Nicos A. Nicola (Ed), a Sambrook and Tooze Publication at Oxford University Press, pp. 72-83, 1994.

Renauld J-C. Interleukin-9 : structural characteristics and biologic properties. In : Cytokines : Interleukins and their Receptors. Kurzrock R. (Ed.), Kluwer Academic Publishers, Chapter 11, pp. 287-303, 1995.

Renauld J-C., Houssiau F., Uyttenhove C., Vink A. and Van Snick J. Interleukin-9. In : Hematopoietic Growth Factors in Clinical Applications. Eds. Mertelsmann R. & Herrmann F., Second edition, Marcel Dekker, Chapter 14, pp. 285-294, 1995.

Renauld J-C., Kermouni A., Vink A., Louahed J. and Van Snick J. Interleukin 9 and its receptor : involvement in mast cell differentiation and T cell oncogenesis. Journal of Leukocyte Biology, 57 : 353-360, 1995.

Renauld J-C. Interleukin-9 : structural characteristics and biologic properties. In : Cytokines : Interleukins and their Receptors. Kurzrock R. (Ed.), Kluwer Academic Publishers, Chapter 11, pp. 287-303, 1995.

Van Pel A., van der Bruggen P., Coulie P.G., Brichard V., Lethé B., Van den Eynde B., Uyttenhove C., Renauld J-C. and Boon T. Genes coding for tumor antigens recognized by cytolytic T lymphocytes. Immunological Reviews, 145 : 229-250, 1995.

Renauld J-C. L'IL-9 et son récepteur, un modèle pour l'oncogenèse des lymphocytes T. Médecine et Sciences, 11 : 1289-1294, 1995.

Renauld J-C. Interleukin 9. In : Human Cytokines : Handbook for Basic and Clinical Research, Volume II, Eds : B. Aggarwal, and J. Guterman, Blackwell Science, pp. 1-18, 1996.

Renauld J-C. Interleukine-9. In : Les Cytokines. 2ème édition. Editions Masson, chapitre 16, pp. 233-239, 1996.

De Plaen E., Lurquin C., Brichard V., van der Bruggen P., Renauld J-C., Coulie P.G., Szikora J-P., Wölfel T., Van Pel A. and Boon T. Cloning of genes coding for antigens recognized by cytolytic T lymphocytes. In : Immunology Methods Manual. Academic Press Ltd. Chapter 9.9, pp. 691-718, 1996.

Renauld J-C. Interleukin-9. In : Cytokines in Health & Disease. Remick D., and Friedland J. (Eds), Marcel Dekker, Inc., Chapter 9, pp. 133-141, 1997.

De Plaen E., Lurquin C., Lethé B., van der Bruggen P., Brichard V., Renauld J-C., Coulie P., Van Pel A. and Boon T. Identification of genes coding for tumor antigens recognized by cytolytic T lymphocytes. Methods Journal, 12 : 125-142, 1997.

Renauld J-C. and Van Snick J. Structural characterization and biological activities of Interleukin 9. In : Handbook of Immuno-pharmacology, pp. 141-150, 1997.

De Plaen E., Lurquin C., Brichard V., van der Bruggen P., Renauld J-C., Coulie P., Szikora J-P., Wölfel T., Van Pel A., and Boon T. Cloning of genes coding for antigens recognized by cytolytic T lymphocytes. In : Immunology Methods Manual, Academic Press, chapter 9.9, pp. 692-718, 1997.

Renauld J-C. and Van Snick J. Interleukin-9. In : The Cytokine Handbook, Thomson A. (Ed.), 3rd Edition, Academic Press, Chapter 11, pp. 313-331, 1998.

Demoulin J-B. and Renauld J-C. Interleukin-9 and its receptor : an overview of structure and function. International Review of Immunology, 16 : 345-364, 1998.

Renauld J-C. Interleukin-9. In : Cytokines (The Handbook of Immunopharmacology Series), A. Mire-Sluis and R. Thorpe (Ed.), Academic Press, Chapter 9, pp142-150, 1998.

Demoulin J-B., and Renauld J-C. Signalling by cytokines interacting with the interleukin-2 receptor g chain. Cytokines, Cellular and Molecular Therapy, 4 : 243-256, 1998.

Renauld J.-C. IL-9. In : The Cytokine Reference. A compendium of cytokines and other mediators of host defense. Chapter 03004, Academic Press, pp. 155-164, 2000.

Renauld J.-C. IL-9 receptor. In : The Cytokine Reference. A compendium of cytokines and other mediators of host defense. Chapter 14004, Academic Press, pp. 1491-1494, 2000.

Renauld, J.-C. and Demoulin, J.-B. Interleukin-9 and its receptor: from structure to function. In : Cytokines and cytokine receptors. Physiology and Pathological Disorders. Eds. C. Bona & J-P. Revillard, Harwood academic publishers, chapter 12, pp. 216-228, 2000.

Renauld J-C. New insights in the role of cytokines in asthma. Journal of Clinical Pathology, 54 : 577-589, 2001.

Renauld J-C. Les mécanismes immunitaires impliqués dans l'allergie. Louvain Médical, 121 : 241-245, 2002.

Renauld J-C., and Van Snick J. Measurement of Mouse and Human Interleukin-9. In : Current Protocols in Immunology, 6.13.1-6.13.10, 2002.

Dumontier, L. and Renaud J.-C. Viral and cellular IL-10-related cytokines: from structures to functions. European Cytokine Network, 13: 5-15, 2002.

Renauld J-C., and Van Snick J. Measurement of Mouse and Human Interleukin-9. In : Current Protocols in Immunology, 6.13.1-6.13.10, 2002.

Renauld J-C., and Van Snick J. Interleukin-9. In : The Cytokine Handbook. A. Thomson & M. Lotze (Eds.), 4th Edition, Elsevier Science Ltd., Chapter 14, pp.347-362, 2003.

Renauld J-C. Class II cytokine receptors and their ligands : key antiviral and inflammatory modulators. Nature Review Immunology, 3 : 667-676, 2003.

Renauld J-C. Interleukin 9. The Encyclopedia of Hormones & Related Cell Regulators, H.L. Henry and A.W. Norman (Eds), Academic press, pp.446-453, 2003.

Renauld J-C. IL-22 inhibitors to treat inflammatory disorders such as arthritis. Expert Opinions on Therapeutic Patents, 13 : 373-374, 2003.

Renauld J-C. IL-22 inhibitors to treat inflammatory disorders such as arthritis. Expert Opinions on Therapeutic Patents, 13 : 373-374, 2003.

Koops L. and Renauld J-C. IL-9 and its receptor : from signal transduction to tumorigenesis. Growth Factors, 22 : 207-215, 2004.

Nagem RA, Ferreira Junior JR, Dumoutier L, Renauld JC, Polikarpov I. Interleukin-22 and its crystal structure. Vitam Horm. 74 : 77-103, 2006.

Dumoutier, L. and Renauld J.-C. IL-22 and its receptors: new players in the inflammatory network. Anti-Inflamm. Anti-Allergy Agents Med. Chem., 5 : 251-257, 2006.

Dumoutier, L. and Renauld J.-C. IL-22 and its receptors. In : Class II Cytokines, A. Zdanov (Ed.), Transworld Research Network, pp 161-176, 2007.

Renauld J.-C. Rôle de l'interleukine-9 dans l'asthme et les réactions allergiques. Bull. Mem. Acad. R. Med. Belg. 162 : 275-285, 2007.